



झारखण्ड गजट

असाधारण अंक

झारखण्ड सरकार द्वारा प्रकाशित

संख्या- 142 राँची, गुरुवार, 4 फाल्गुन, 1938 (श०)
23 फरवरी, 2017 (ई०)

स्वास्थ्य, चिकित्सा शिक्षा एवं परिवार कल्याण विभाग, झारखण्ड, राँची।

अधिसूचना

23 जनवरी, 2017

संख्या- स्वा० नि०/25/दवा सूची (जे० एल० ई० एम०) -03/2016- 146(25) स्वा०-- विभागीय संकल्प सं० 9/विविध 5-28/2008-153 (प०क०) दिनांक 9 जून, 2004 द्वारा अधिसूचित झारखण्ड राज्य औषधि नीति की कौडिका 5.1 में निहित प्रावधानों के अधीन झारखण्ड राज्य के प्राथमिक, द्वितीयक एवं तृतीयक स्तर के अस्पतालों/ स्वास्थ्य इकाईयों में प्रयोग हेतु भारत सरकार के स्वास्थ्य एवं परिवार कल्याण मंत्रालय द्वारा अधिसूचित आवश्यक औषधियों की राष्ट्रीय सूची, 2015 (NLEM-2015) दिनांक 23 दिसम्बर, 2015 के आधार पर तैयार किये गये झारखण्ड आवश्यक औषधि सूची, 2017 (JLEM-2017) जो इस अधिसूचना के साथ "परिशिष्ट-1" के रूप में संलग्न है, को अंगीकृत किया जाता है।

2. झारखण्ड आवश्यक औषधि सूची, 2017 (JLEM-2017) में कुल 387 औषधियों का नाम 30 खण्डों में अंकित है जिनका उपयोग मानक उपचार मार्गदर्शी सिद्धांत के अनुसार केवल जातिय नाम (Generic names) से किया जाय।

झारखण्ड राज्यपाल के आदेश से,

सुधीर त्रिपाठी,

सरकार के अपर मुख्य सचिव।

JHARKHAND List of Essential Medicines 2017**Table of Contents**

Jharkhand List of Essential Medicines 2017	4
Section 1–Anesthetic agents	4
Section 2–Analgesics, antipyretics, non steroidal anti inflammatory medicines, medicines used to treat gout and disease modifying agents used in rheumatoid disorders	6
Section 3–Antiallergics and medicines used in anaphylaxis	8
Section 4–Antidotes and other substances used in poisoning.....	9
Section 5–Anticonvulsants/ Antiepileptics	10
Section 6–Anti infective medicines	12
Section 7–Antimigraine medicines	26
Section 8 –Antineoplastic/ immunosuppressives and medicines used in palliative care	27
Section 9–Antiparkinsonism medicines.....	34
Section 10–Medicines affecting blood.....	34
Section 11–Blood products and Plasma substitutes.....	36
Section 12–Cardiovascular medicines	37
Section 13–Medicines used in dementia.....	42
Section 14–Dermatological medicines (Topical)	42
Section 15 –Diagnostic agents	45
Section 16–Dialysis solutions	46
Section 17–Disinfectants and antiseptics.....	46

Section 18–Diuretics	47
Section 19–Ear, nose and throat medicines	48
Section 20–Gastrointestinal medicines	48
Section 21–Hormones, other endocrine medicines and contraceptives.....	51
Section 22–Immunologicals.....	55
Section 23–Muscle relaxants and cholinesterase inhibitors	58
Section 24–Medicines for neonatal care	58
Section 25–Ophthalmological Medicines	59
Section 26–Oxytocics and Antioxytocics	61
Section 27–Psychotherapeutic medicines	62
Section 28–Medicines acting on the respiratory tract.....	65
Section 29–Solutions correcting water, electrolyte disturbances and acid-base disturbances.....	66
Section 30–Vitamins and minerals	67
Alphabetical list of medicines in JLEM 2017	69
Medicines Added to JLEM 2011	84
Alphabetical List of Medicines Added to JLEM 2011	98
Medicines Deleted from JLEM 2011	102
Alphabetical List of Medicines Deleted from JLEM 2011.....	112

Jharkhand List of Essential Medicines 2017

Section 1-Anesthetic agents

1.1-General Anesthetics and oxygen

	Medicine	Level of Healthcare	Dosage form and strength
1.1.1	Halothane	S,T	Inhalation
1.1.2	Isoflurane	S,T	Inhalation
1.1.3	Ketamine	P,S,T	Injection 10 mg/ml Injection 50 mg/ml
1.1.4	Nitrous oxide	P,S,T	Inhalation
1.1.5	Oxygen	P,S,T	Inhalation (Medicinal gas)
1.1.6	Propofol	P,S,T	Injection 10 mg/ml; 20mg/ml
1.1.7	Sevoflurane	T	Inhalation; 250ml. bottle
1.1.8	Thiopentone	P,S,T	Powder for Injection 0.5 g Powder for Injection 1 g

1.2-Local anesthetics

	Medicine	Level of Healthcare	Dosage form and strength
1.2.1	Bupivacaine	S,T	Injection 0.25% in vial. Injection 0.5% in vial. Injection 0.5% (hydrochloride) in 4 ml. ample to be mixed with 7.5% glucose solution (for spinal anesthesia)
1.2.2	Lignocaine	P,S,T	Topical forms 2% to 4% Injection 1% in vial. Injection 2% in vial. Injection for spinal anaesthesia: 5% (hydrochloride) in 2- mL ampoule to be mixed with 7.5% glucose solution.

1.2.3	Lignocaine (A) + Adrenaline (B)	P,S,T	Dental cartridge: 2% (A) + 1:80 000.(B) Injection 1% (A) + 1:200000 (5 mcg/ml) (B) Injection 2% (A) + 1:200000 (5 mcg/ml) (B)
1.2.4	Prilocaine (A) + Lignocaine (B)	T	Cream 2.5% (A) + 2.5% (B)
1.3-Preoperative medication and sedation for short term procedures			
	Medicine	Level of Healthcare	Dosage form and strength
1.3.1	Atropine	P,S,T	Injection 0.6 mg/ml 1 ml. ample.
1.3.2	Glycopyrrolate	S,T	Injection 0.2 mg/ml 1 ml. ample.
1.3.3	Midazolam	P,S,T	Tablet 7.5 mg Tablet 15 mg Oral liquid 2 mg/ml Injection 1 mg/ml in 1ml ample Injection 5 mg/ml in 1ml ample
1.3.4	Morphine	P,S,T	Injection 10 mg/ml in 1ml ample Injection 15 mg/ml in 1ml ample
Section 2-Analgesics, antipyretics, non steroidal anti inflammatory medicines, medicines used to treat gout and disease modifyingagents used in rheumatoid disorders			
2.1- Non-opioid analgesics, antipyretics and nonsteroidal anti-inflammatory medicines			
	Medicine	Level of Healthcare	Dosage form and strength
2.1.1	Acetylsalicylic acid	P,S,T	Tablet 300 mg to 500 mg Effervescent/ Dispersible/ Enteric coated Tablet 300 mg to 500 mg
2.1.2	Diclofenac	P,S,T	Tablet 50 mg ; Tab.SR 100mg. Injection 25 mg/ml 3ml ample
2.1.3	Ibuprofen	P,S,T	Tablet 200 mg Tablet 400 mg Oral liquid 100 mg/5 ml

2.1.4	Mefenamic acid	P,S,T	Capsule 250 mg Capsule 500 mg Oral liquid 100 mg/5 ml
2.1.5	Paracetamol	P,S,T	Tablet 500 mg Tablet 650 mg All licenced oral liquid dosage forms and strengths Syrup 125 mg / 5ml & drop 100mg/ml. Injection 150 mg/ml 2ml.ample. Suppository 80 mg Suppository 170 mg
2.2-Opioid analgesics			
	Medicine	Level of Healthcare	Dosage form and strength
2.2.1	Fentanyl	S,T	Injection 50 mcg/ml 2ml ample.
2.2.2	Morphine	P,S,T	Tablet 10 mg Injection 10 mg/ml ample 1ml. Injection 15 mg/ml ample 1ml.
2.2.3	Tramadol	S,T	Capsule 50 mg Capsule 100 mg Injection 50 mg/ml 2ml ample.
2.3-Medicines used to treat gout			
	Medicine	Level of Healthcare	Dosage form and strength
2.3.1	Allopurinol	P,S,T	Tablet 100 mg Tablet 300 mg
2.3.2	Colchicine	P,S,T	Tablet 0.5 mg
2.4-Disease modifying agents used in rheumatoid disorders			
	Medicine	Level of Healthcare	Dosage form and strength
2.4.1	Azathioprine	S, T	Tablet 50 mg
2.4.2	Hydroxychloroquine	S,T	Tablet 200 mg Tablet 400 mg
2.4.3	Leflunomide	S,T	Tablet 10 mg Tablet 20 mg

2.4.4	Methotrexate	S,T	Tablet 5 mg Tablet 7.5 mg Tablet 10 mg Injection 25 mg/ ml in 2ml. vial
2.4.5	Sulfasalazine	S, T	Tablet 500 mg
Section 3–Antiallergics and medicines used in anaphylaxis			
	Medicine	Level of Healthcare	Dosage form and strength
3.1	Adrenaline	P,S,T	Injection 1 mg/ml 1ml. ample.
3.2	Cetirizine	P,S,T	Tablet 10 mg Oral liquid 5 mg/5 ml
3.3	Chlorpheniramine	P,S,T	Tablet 4 mg Oral liquid 2 mg/5 ml
3.4	Dexamethasone	P,S,T	Tablet 0.5 mg Injection 4 mg/ml in 2 ml. vial.
3.5	Hydrocortisone	P,S,T	Powder for Injection 100 mg vial.
3.6	Pheniramine	P,S,T	Injection 22.75 mg/ml 2ml. ample.
3.7	Prednisolone	P,S,T	Tablet 5 mg Tablet 10 mg Tablet 20 mg Oral liquid 5 mg/5 ml Oral liquid 15 mg/5 ml
Section 4–Antidotes and other substances used in poisoning			
4.1–Nonspecific			
	Medicine	Level of Healthcare	Dosage form and strength
4.1.1	Activated charcoal	P,S,T	Powder (as licensed)
4.2–Specific			
	Medicine	Level of Healthcare	Dosage form and strength
4.2.1	Atropine	P,S,T	Injection 0.6 mg/ml 1ml. ample.

4.2.2	Calcium gluconate	P,S,T	Injection 100 mg/ml 10ml. ample.
4.2.3	Desferrioxamine	S,T	Powder for Injection 500 mg in vial.
4.2.4	Dimercaprol	S,T	Injection 50 mg/ml in 2ml. ample.
4.2.5	Methylthioninium chloride (Methylene blue)	S,T	Injection 10 mg/ml in 10ml. ample.
4.2.6	N-acetylcysteine	P,S,T	Sachet 200 mg Injection 200 mg/ml in 10ml& 5ml.ample
4.2.7	Naloxone	P,S,T	Injection 0.4 mg/ml in 1ml. ample.
4.2.8	Neostigmine	P,S,T	Injection 0.5 mg/ml in 1ml. ample.
4.2.9	Penicillamine	S,T	Capsule 250 mg
4.2.10	Pralidoxime chloride (2-PAM)	P,S,T	Injection 25 mg/ml in 20 ml. ample.
4.2.11	Snake venom antiserum a) Soluble/ liquid polyvalent b) Lyophilized polyvalent	P,S,T	a) Injection b) Powder for Injection
4.2.12	Sodium nitrite	S,T	Injection 30 mg/ml in 10 ml. ample
4.2.13	Sodium thiosulphate	S,T	Injection 100 mg/ml in 50 ml. ample & 10 ml ample.
Section 5–Anticonvulsants/ Antiepileptics			
	Medicine	Level of Healthcare	Dosage form and strength

5.1	Carbamazepine	P,S,T	Tablet 100 mg Tablet 200 mg CR Tablet 200 mg Tablet 400 mg CR Tablet 400 mg Oral liquid 100 mg/5 ml Oral liquid 200 mg/5 ml
5.2	Clobazam	S,T	Tablet 5 mg Tablet 10 mg
5.3	Diazepam	P,S,T	Oral liquid 2 mg/5 ml Injection 5 mg/ml 2ml. ample. Suppository 5 mg
5.4	Levetiracetam	S,T	Tablet 250 mg Tablet 500 mg Tablet 750 mg ER Tablet 750 mg Oral liquid 100 mg/ml Injection 100 mg/ml in 5ml. vial
5.5	Lorazepam	P,S,T	Tablet 1 mg Tablet 2 mg Injection 2 mg/ml in 1 ml. ample.
5.6	Magnesium sulphate	S,T	Injection 500 mg/ml in 2ml. ample.
5.7	Phenobarbitone	P,S,T	Tablet 30 mg Tablet 60 mg Oral liquid 20 mg/5 ml
		S,T	Injection 200 mg/ml in 1ml ample.
5.8	Phenytoin	P,S,T	Tablet 50 mg Tablet 100 mg Tablet 300 mg ER Tablet 300 mg Oral liquid 30 mg/5 ml Oral liquid 125 mg/5 ml Injection 25 mg/ml in 5ml. vial Injection 50 mg/ml in 5ml vial

5.9	Sodium valproate	P,S,T	Tablet 200 mg Tablet 300 mg CR Tablet 300 mg Tablet 500 mg CR Tablet 500 mg Oral liquid 200 mg/5ml
		T	Injection 100 mg/ml in 5ml. vial.
5.10	Diphenyl hydantoin	S,T	100mg.film coated tab.&250mg/5ml inj.ample.
Section 6–Anti infective medicines			
6.1–Anthelminthics			
6.1.1–Intestinal anthelminthics			
	Medicine	Level of Healthcare	Dosage form and strength
6.1.1.1	Albendazole	P,S,T	Tablet 400 mg Oral liquid 200 mg/5 ml
6.1.1.2	Mebendazole	P,S,T	Tablet 100 mg Oral liquid 100 mg/5 ml
6.1.2–Antifilarial			
	Medicine	Level of Healthcare	Dosage form and strength
6.1.2.1	Diethylcarbamazin e	P,S,T	Tablet 50 mg Tablet 100 mg Oral liquid 120 mg/5 ml
6.1.3–Anti-schistosomal & anti-trematodal medicine			
	Medicine	Level of Healthcare	Dosage form and strength
6.1.3.1	Praziquantel	S,T	Tablet 600 mg
6.2–Antibacterials			
6.2.1–Beta lactam medicines			
	Medicine	Level of Healthcare	Dosage form and strength

6.2.1.1	Amoxicillin	P,S,T	Capsule 250 mg Capsule 500 mg Oral liquid 250 mg/5 ml
6.2.1.2	Amoxicillin (A) + Clavulanic acid (B)	P,S,T	Tablet 500 mg (A) + 125 mg (B) Oral liquid 200 mg (A) + 28.5 mg (B)/5 ml Dry Syrup 125 mg (A) + 31.25 (B)/5 ml
		S,T	Powder for Injection 500 mg (A) + 100 mg (B) Powder for Injection 1 g (A) + 200 mg (B)
6.2.1.3	Ampicillin	P,S,T	Powder for Injection 500 mg Powder for Injection 1 g
6.2.1.4	Benzathine benzylpenicillin	P,S,T	Powder for Injection 6 lac units Powder for Injection 12 lac units
6.2.1.5	Benzyl penicillin	P,S,T	Powder for Injection 10 lac units
6.2.1.6	Cefadroxil	P,S,T	Tablet 500 mg Tablet 1 g Oral liquid 125 mg/5 ml
6.2.1.7	Cefazolin	P,S,T	Powder for Injection 500 mg Powder for Injection 1 g
6.2.1.8	Cefixime	S,T	Tablet 200 mg Tablet 400 mg Oral liquid 50 mg/5 ml Oral liquid 100 mg/5 ml
6.2.1.9	Cefotaxime	S,T	Powder for Injection 250 mg Powder for Injection 500 mg Powder for Injection 1 g
6.2.1.10	Ceftazidime	S,T	Powder for Injection 250 mg Powder for Injection 1 g
6.2.1.11	Ceftriaxone	S,T	Powder for Injection 250 mg Powder for Injection 500 mg Powder for Injection 1 g Powder for Injection 2 g
6.2.1.12	Dicloxacillin	P,S,T	Capsule 250 mg Capsule 500 mg Oral Liquid 125 mg/5 ml Powder for Injection

6.2.1.1 3	Piperacillin (A) + Tazobactam (B)	T	Powder for Injection 1 g (A) + 125 mg (B) Powder for Injection 2 g (A) + 250 mg (B) Powder for Injection 4 g (A) + 500 mg (B)
6.2.2-Other antibacterials			
	Medicine	Level of Healthcare	Dosage form and strength
6.2.2.1	Azithromycin	P,S,T	Tablet 250 mg Tablet 500 mg Oral liquid 200 mg/5ml Powder for Injection 500 mg
6.2.2.2	Ciprofloxacin	P,S,T	Tablet 250 mg Tablet 500 mg Oral liquid 250 mg/5ml Injection 200 mg/100 ml
6.2.2.3	Clarithromycin	S,T	Tablet 250 mg Tablet 500 mg Oral liquid 125mg/5 ml
6.2.2.4	Co-trimoxazole [Sulphamethoxazole (A) + Trimethoprim (B)]	P,S,T	100 mg Sulfamethoxazole + 20 mg trimethoprim (as pediatric tablet) Tablet 400 mg (A) + 80 mg (B) Tablet 800 mg (A) + 160 mg (B) Oral liquid 200 mg (A) + 40 mg (B)/5 ml
6.2.2.5	Doxycycline	P,S,T	Capsule 100 mg Dry Syrup 50mg/5 ml
6.2.2.6	Gentamicin	P,S,T	Injection 10 mg/ml in 2ml. vial Injection 40 mg/ml in 2ml. vial
6.2.2.7	Metronidazole	P,S,T	Tablet 200 mg Tablet 400 mg Oral liquid 200 mg/5 ml Injection 500 mg/100 ml in vial
6.2.2.8	Nitrofurantoin	P,S,T	Tablet 100 mg Oral liquid 25 mg/5 ml
6.2.2.9	Vancomycin	T	Powder for Injection 250 mg Powder for Injection 500 mg Powder for Injection 1 g
6.2.3-Antileprosy medicines			
	Medicine	Level of Healthcare	Dosage form and strength

6.2.3.1	Clofazimine	P,S,T	Capsule 50 mg Capsule 100 mg
6.2.3.2	Dapsone	P,S,T	Tablet 25 mg Tablet 50 mg Tablet 100 mg
6.2.3.3	Rifampicin	P,S,T	Capsule 150 mg Capsule 300 mg Capsule 450 mg Capsule 600 mg
6.2.4-Antituberculosis medicines			
	Medicine	Level of Healthcare	Dosage form and strength
6.2.4.1	Capreomycin	P, S, T	Powder for Injection 1 g
6.2.4.2	Cycloserine	P, S, T	Capsule 125 mg Capsule 250 mg
6.2.4.3	Ethambutol	P,S,T	Tablet 200 mg Tablet 400 mg Tablet 600 mg Tablet 800 mg
6.2.4.4	Ethionamide	P, S, T	Tablet 125 mg Tablet 250 mg
6.2.4.5	Isoniazid	P,S,T	Tablet 50 mg Tablet 100 mg Tablet 300 mg Oral liquid 100 mg/5 ml
6.2.4.6	Kanamycin	P, S, T	Powder for Injection 500 mg Powder for Injection 750 mg Powder for Injection 1 g
6.2.4.7	Levofloxacin	P, S, T	Tablet 250 mg Tablet 500 mg Tablet 750 mg
6.2.4.8	Linezolid	P, S, T	Tablet 600 mg
6.2.4.9	Moxifloxacin	P, S, T	Tablet 200 mg Tablet 400 mg

6.2.4.1 0	Para- aminosalicylic acid	P,S,T	Tablet 500 mg Granules (As licensed)
6.2.4.1 1	Pyrazinamide	P,S,T	Tablet 500 mg Tablet 750 mg Tablet 1000 mg Tablet 1500 mg Oral liquid 250 mg/5 ml
6.2.4.1 2	Rifabutin	S,T	Capsule 150 mg
6.2.4.1 3	Rifampicin	P,S,T	Capsule 150 mg Capsule 300 mg Capsule 450 mg Capsule 600 mg Oral liquid 100 mg/5 ml
6.2.4.1 4	Streptomycin	P,S,T	Powder for Injection 750 mg in vial Powder for Injection 1 g in vial
6.3-Antifungal medicines			
	Medicine	Level of Healthcare	Dosage form and strength
6.3.1	Lipid/ Liposomal Amphotericin B	S,T	Powder for Injection 50 mg
6.3.2	Clotrimazole	P,S,T	Pessary 100 mg
6.3.3	Fluconazole	P,S,T	Tablet 100 mg Tablet 150 mg Tablet 200 mg Tablet 400 mg Oral liquid 50 mg/5 ml
		S,T	Injection 200 mg /100 ml in vial.
6.3.4	Griseofulvin	P,S,T	Tablet 125 mg Tablet 250 mg Tablet 375 mg
6.3.5	Nystatin	P,S,T	Tablet 500,000 IU Pessary 100,000 IU Oral Liquid 100, 000 IU/ml

6.3.5	Terbinafine	P,S,T	250mg tab. Ointement 2%
6.4–Antiviral medicines			
6.4.1–Antiherpes medicines			
	Medicine	Level of Healthcare	Dosage form and strength
6.4.1.1	Acyclovir	P,S,T	Tablet 200 mg Tablet 400 mg Powder for Injection 250 mg Powder for Injection 500 mg Oral liquid 400 mg/5 ml
6.4.2–Anti Cytomegalovirus (CMV) medicines			
6.4.2.1	Ganciclovir	S,T	Capsule 250 mg Powder for Injection 500 mg
6.4.3–Antiretroviral medicines			
6.4.3.1–Nucleoside reverse transcriptase inhibitors			
	Medicine	Level of Healthcare	Dosage form and strength
6.4.3.1 .1	Abacavir	S,T	Tablet 60 mg Tablet 300 mg
6.4.3.1 .2	Abacavir (A) + Lamivudine (B)	S,T	Tablet 60 mg (A) +30 mg (B) Tablet 600 mg (A)+ 300 mg (B)
6.4.3.1 .3	Lamivudine (A) + Nevirapine (B) + Stavudine (C)	S,T	Dispersible Tablet 30 mg (A) + 50 mg (B) + 6 mg (C) Tablet 150 mg (A) + 200 mg (B) + 30 mg (C)
6.4.3.1 .4	Lamivudine (A) + Zidovudine (B)	S,T	Tablet 30 mg (A) + 60 mg (B) Tablet 150 mg (A) + 300 mg (B)
6.4.3.1 .5	Stavudine (A) + Lamivudine (B)	S,T	Dispersible Tablet 6 mg (A) + 30 mg (B) Tablet 30 mg (A) + 150 mg (B)
6.4.3.1 .6	Tenofovir (A) + Lamivudine (B)	S,T	Tablet 300 mg (A) +300 mg (B)

6.4.3.1 .7	Tenofovir (A) + Lamivudine (B) + Efavirenz (C)	S,T	Tablet 300 mg (A) + 300 mg (B) + 600 mg (C)
6.4.3.1 .8	Zidovudine	S,T	Tablet 300 mg Oral liquid 50 mg/5 ml
6.4.3.1 .9	Zidovudine (A) + Lamivudine (B) + Nevirapine (C)	S,T	Tablet 60 mg (A) + 30 mg (B) + 50 mg (C) Tablet 300 mg (A) + 150 mg (B) + 200 mg (C)
6.4.3.2–Non-nucleoside reverse transcriptase inhibitors			
	Medicine	Level of Healthcare	Dosage form and strength
6.4.3.2 .1	Efavirenz	S,T	Tablet 50 mg Tablet 200 mg Tablet 600 mg
6.4.3.2 .2	Nevirapine	S,T	Dispersible Tablet 50 mg Tablet 200 mg Oral liquid 50 mg/5 ml
6.4.3.3–Integrase inhibitors			
6.4.3.3.1	Raltegravir	S,T	Tablet 400 mg
6.4.3.4–Protease inhibitors			
	Medicine	Level of Healthcare	Dosage form and strength
6.4.3.4.1	Atazanavir (A) + Ritonavir (B)	S,T	Tablet 300 mg (A) + 100 mg (B)
6.4.3.4.2	Darunavir	S,T	Tablet 600 mg
6.4.3.4.3	Lopinavir (A) + Ritonavir (B)	S,T	Tablet 100 mg (A) + 25 mg (B) Tablet 200 mg (A) + 50 mg (B) Oral liquid 400 mg (A) + 100 mg (B)/ 5ml
6.4.3.4.4	Ritonavir	S,T	Tablet 100 mg
6.4.3.4.5	Ostelamivir	S, T	30mg,45mg,60mg,75mg. Tab.

6.4.4–Medicines for hepatitis B and hepatitis C

6.4.4.1	Entecavir	S,T	Tablet 0.5 mg Tablet 1 mg
6.4.4.2	Pegylated interferon alfa 2a	S,T	Injection 180 mcg
	Pegylated interferon alfa 2b	S,T	Injection 80 mcg Injection 100 mcg Injection 120 mcg
6.4.4.3	Ribavirin	S,T	Capsule 200 mg
6.4.4.4	Sofosbuvir	S,T	Tablet 400 mg
6.4.4.5	Tenofovir	S,T	Tablet 300 mg

Section 6.5–Antiprotozoal Medicines**6.5.1–Antiamoebic and anti giardiasis medicines**

	Medicine	Level of Healthcare	Dosage form and strength
6.5.1.1	Diloxanide furoate	P,S,T	Tablet 500 mg
6.5.1.2	Metronidazole	P,S,T	Tablet 200 mg Tablet 400 mg Injection 500 mg/100 ml Oral liquid 200 mg/5 ml
6.5.1.3.	Tinidazole	P,S,T	Tab. 500mg. Inj.2mg/ml 400ml vial.
6.5.1.4	Ornidazole	P,S,T	500mg. tab.

6.5.2–Antileishmaniasis medicines

	Medicine	Level of Healthcare	Dosage form and strength
--	----------	---------------------	--------------------------

6.5.2.1	Lipid/ Liposomal Amphotericin B	S,T	Powder for Injection 50 mg. vial.
6.5.2.2	Miltefosine	P,S,T	Capsule 10 mg Capsule 50 mg\
6.5.2.3	Paromomycin	P,S,T	Injection 375 mg/ml 2ml.vial.
6.5.3-Antimalarial medicines			
6.5.3.1-For curative treatment			
	Medicine	Level of Healthcare	Dosage form and strength
6.5.3.1 .1	Artemether (A) + Lumefantrine (B)	P,S,T	Tablet 20 mg (A) + 120 mg (B) Tablet 40 mg (A) + 240 mg (B) Tablet 80 mg (A) + 480 mg (B) Oral liquid 80 mg (A) + 480 mg (B)/5 ml
6.5.3.1 .2	Artesunate	P,S,T	Powder for Injection 60 mg Powder for Injection 120 mg
6.5.3.1 .3	Artesunate (A) + Sulphadoxine - Pyrimethamine (B)	P,S,T	Combi pack (A+B) 1 Tablet 25 mg (A) + 1 Tablet (250 mg + 12.5 mg) (B) 1 Tablet 50 mg (A) + 1 Tablet (500 mg + 25 mg) (B) 1 Tablet 100 mg (A) + 1 Tablet (750 mg + 37.5 mg) (B) 1 Tablet 150 mg (A) + 2 Tablet (500 mg + 25 mg) (B) 1 Tablet 200 mg (A) + 2 Tablet (750 mg + 37.5 mg) (B) 1 Tablet 12.5mg (A) + (125mg+6.25mg) (B)
6.5.3.1 .4	Chloroquine	P,S,T	Tablet 150 mg Oral liquid 50 mg/5 ml
6.5.3.1 .5	Clindamycin	P,S,T	Capsule 150 mg Capsule 300 mg

6.5.3.1.6	Primaquine	P,S,T	Tablet 2.5 mg Tablet 7.5 mg Tablet 15 mg
6.5.3.1.7	Quinine	P,S,T	Tablet 300 mg Injection 300 mg/ml in 2ml. ample.
6.5.3.2-For prophylaxis			
	Medicine	Level of Healthcare	Dosage form and strength
6.5.3.2.1	Mefloquine	T	Tablet 250 mg *Only for use as chemoprophylaxis for long term travellers like military and travel troops, travelling from low endemic to high endemic area.
6.5.4-Antipneumocystosis and antitoxoplasmosis medicines			
	Medicine	Level of Healthcare	Dosage form and strength
6.5.4.1	Co-trimoxazole [Sulphamethoxazole (A) + Trimethoprim (B)]	P,S,T	Oral liquid 200 mg (A) + 40 mg (B)/5 ml Tablet 100 mg (A) + 20 mg (B) Tablet 400 mg (A) + 80 mg (B) Tablet 800 mg (A) + 160 mg (B)
6.5.4.2	Pentamidine	S,T	Powder for Injection 200 mg in vial.
Section 7-Antimigraine medicines			
	Medicine	Level of Healthcare	Dosage form and strength
7.1.1	Acetylsalicylic acid	P,S,T	Tablet 300 mg to 500 mg Effervescent/ Dispersible/ Enteric coated Tablet 300 mg to 500 mg
7.1.2	Paracetamol	P,S,T	Tablet 500 mg Tablet 650 mg
7.1.3	Sumatriptan	P,S,T	Tablet 25 mg Tablet 50 mg Injection 6 mg/ 0.5 ml
7.2-For prophylaxis			

	Medicine	Level of Healthcare	Dosage form and strength
7.2.1	Flunarizine	P,S,T	Tablet 5 mg Tablet 10 mg
7.2.2	Propranolol	P,S,T	Tablet 10 mg Tablet 40 mg Tablet 80 mg
Section 8 –Antineoplastic/ immunosuppressives and medicines used in palliative care			
8.1–Antineoplastic medicines			
	Medicine	Level of Healthcare	Dosage form and strength
8.1.1	5-Fluorouracil	T	Injection 50 mg/ ml in 5ml vial
8.1.2	6-Mercaptopurine	T	Tablet 50 mg
8.1.3	Actinomycin D	T	Powder for Injection 0.5 mg in vial.
8.1.4	All-trans retinoic acid	T	Capsule 10 mg
8.1.5	Arsenic trioxide	T	Injection 1mg/ml 10ml. vial
8.1.6	Bleomycin	T	Powder for Injection 15 units in vial.
8.1.7	Bortezomib	T	Powder for Injection 2mg in vial
8.1.8	Calcium folinate	T	Tablet 15 mg Injection 3 mg/ml in 10ml. ample.
8.1.9	Capecitabine	T	Tablet 500 mg
8.1.10	Carboplatin	T	Injection 10 mg/ml -- 5ml, 15ml, 45ml & 60ml vial
8.1.11	Chlorambucil	T	Tablet 2 mg Tablet 5 mg
8.1.12	Cisplatin	T	Injection 1mg/ml—50ml.&100ml. vial.

8.1.13	Cyclophosphamide	T	Tablet 50 mg Tablet 200 mg Powder for Injection 500 mg in vial
8.1.14	Cytosine arabinoside	T	Injection 100 mg/ ml 10ml vial.Powder for Injection 500 mg in vial. Powder for Injection 1000 mg in vial.
8.1.15	Dacarbazine	T	Powder for Injection 500 mg in vial. Powder for Injection 200 mg in vial
8.1.16	Daunorubicin	T	Injection 5 mg/ml in 10ml vial.
8.1.17	Docetaxel	T	Powder for Injection 20 mg Powder for Injection 80 mg in vial.
8.1.18	Doxorubicin	T	Injection 2 mg/ml in vial of 5ml,10ml,25ml &100ml.
8.1.19	Etoposide	T	Capsule 50 mg Capsule 100 mg Injection 20 mg/ml in 5ml ample.
8.1.20	Gefitinib	T	Tablet 250 mg
8.1.21	Gemcitabine	T	Powder for Injection 200 mg Powder for Injection 1 g in vial.
8.1.22	Ifosfamide	T	Powder for Injection 1 g Powder for Injection 2 g in vial
8.1.23	Imatinib	T	Tablet 100 mg Tablet 400 mg
8.1.24	L-Asparaginase	T	Powder for Injection 5000 IU. Powder for Injection 10000 IU in vial.
8.1.25	Melphalan	T	Tablet 2 mg Tablet 5 mg
8.1.26	Mesna	T	Injection 100 mg/ml in 4ml & 10ml ample.

8.1.27	Methotrexate	T	Tablet 2.5 mg Tablet 5 mg Tablet 10mg Injection 50 mg/ml in vial.
8.1.28	Oxaliplatin	T	Injection 5 mg/ml 10ml,20ml,&40ml vial.
8.1.29	Paclitaxel	T	Injection 30 mg/5 ml Injection 100 mg/16.7 ml on vial.
8.1.30	Procarbazine	T	Capsule 50 mg
8.1.31	Rituximab	T	Injection 10 mg/ml 10ml &50 ml. vial.
8.1.32	Temozolomide	T	Capsule 20 mg Capsule 100 mg Capsule 250 mg
8.1.33	Thalidomide	T	Capsule 50 mg Capsule 100 mg
8.1.34	Trastuzumab	T	Injection 440 mg/50 ml vail
8.1.35	Vinblastine	T	Injection 1 mg/ml in 10 ml.vial.
8.1.36	Vincristine	T	Injection 1 mg/ml 1ml& 5ml.vial
8.2-Hormones and antihormones used in cancer therapy			
	Medicine	Level of Healthcare	Dosage form and strength
8.2.1	Bicalutamide	T	Tablet 50 mg
8.2.2	Letrozole	T	Tablet 2.5 mg
8.2.3	Prednisolone	S, T	Tablet 10 mg Tablet 20 mg Tablet 40 mg Oral liquid 5 mg/5 ml Oral liquid 15 mg/5 ml Injection 20 mg/2 ml

8.2.4	Tamoxifen	T	Tablet 10 mg Tablet 20 mg
8.3-Immunosuppressive medicines			
	Medicine	Level of Healthcare	Dosage form and strength
8.3.1	Azathioprine	T	Tablet 50 mg
8.3.2	Cyclosporine	T	Capsule 10 mg Capsule 25 mg Capsule 50 mg Capsule 100 mg Oral liquid 100 mg/ml Injection 50 mg/ml
8.3.3	Mycophenolate mofetil	T	Tablet 250 mg Tablet 500 mg
8.3.4	Tacrolimus	T	Capsule 0.5 mg Capsule 1 mg Capsule 2 mg
8.4-Medicines used in palliative care			
	Medicine	Level of Healthcare	Dosage form and strength
8.4.1	Allopurinol	T	Tablet 100 mg
8.4.2	Amitriptyline	T	Tablet 10 mg Tablet 25 mg
8.4.3	Dexamethasone	T	Tablet 0.5 mg Injection 4 mg/ml 2ml vial.
8.4.4	Diazepam	T	Tablet 2 mg Tablet 5 mg Injection 5 mg/ml 2ml.ample.
8.4.5	Filgrastim	T	Injection 300 mcg vial.
8.4.6	Fluoxetine	T	Capsule 20 mg
8.4.7	Haloperidol	T	Tablet 1.5 mg Tablet 5 mg Injection 5 mg/ml

8.4.8	Lactulose	T	Oral liquid 10 g/15 ml
8.4.9	Loperamide	T	Tablet 2 mg
8.4.10	Metoclopramide	T	Tablet 10 mg Oral liquid 5 mg/5 ml Injection 5 mg/ml in 2ml. ample.
8.4.11	Midazolam	T	Injection 1 mg/ml in 1ml. ample.
8.4.12	Morphine	T	Tablet 10 mg Tablet 20 mg SR Tablet 30 mg
8.4.13	Ondansetron	S,T	Tablet 4 mg Tablet 8 mg Oral liquid 2 mg/5 ml Injection 2 mg/ml in 2ml ample.
8.4.14	Tramadol	T	Capsule 50 mg Capsule 100 mg Injection 50 mg/ml 2ml. ample.
8.4.15	Zoledronic acid	T	Powder for Injection 4 mg vial
Section 9-Antiparkinsonism medicines			
	Medicine	Level of Healthcare	Dosage form and strength
9.1	Levodopa (A) + Carbidopa (B)	P,S,T	Tablet 100 mg (A) + 10 mg (B) Tablet 100 mg (A) + 25 mg (B) CR Tablet 100 mg (A) + 25 mg (B) CR Tablet 200 mg (A) + 50 (B) mg Tablet 250 mg (A) + 25 mg (B)
9.2	Trihexyphenidyl	P,S,T	Tablet 2 mg
Section 10-Medicines affecting blood			
10.1-Antianaemia medicines			

	Medicine	Level of Healthcare	Dosage form and strength
10.1.1	Erythropoietin	S,T	Injection 2000 IU/ml in 1ml. vial. Injection 10000 IU/ml in 1ml vial.
10.1.2	Ferrous salts	P,S,T	Tablet equivalent to 60 mg of elemental iron Oral liquid equivalent to 25 mg of elemental iron/ml
10.1.3	Ferrous salt (A) + Folic acid (B)	P,S,T	Tablet 45mg elemental iron (A) + 400 mcg (B) Enteric coated tab. Tablet 100 mg elemental iron (A) + 500 mcg (B) Enteric coated tab. Oral liquid 20 mg elemental iron (A) + 100 mcg (B)/ml Ferrous ammonium citrate 20 mg of elemental iron and folic acid 0.2 mg per 1 ml as drops.
10.1.4	Folic acid	P,S,T	Tablet 5 mg
10.1.5	Mecobalamin	P,S,T	Injection 0.5 mg/ml in 1ml ample. Tab--0.5mg.
10.1.6	Hydroxyurea	P,S,T	Capsule 500 mg
10.1.7	Iron sucrose	S,T	Injection 20 mg/ml in 5ml. ample.
10.2-Medicines affecting coagulation			
	Medicine	Level of Healthcare	Dosage form and strength
10.2.1	Enoxaparin	T	Injection 40 mg/0.4 ml Injection 60 mg/0.6 ml in ample or pre-filled syringe.
10.2.2	Heparin	S,T	Injection 1000 IU/ml Injection 5000 IU/ml—in 1ml.ample.
10.2.3	Phytomenadione (Vitamin K1)	P,S,T	Tablet 10mg Injection 10 mg/ml in 5-ml. ample.
10.2.4	Protamine	S,T	Injection 10 mg/ml in 5-ml. ample.

10.2.5	Tranexamic acid	P,S,T	Tablet 500 mg Injection 100 mg/ml in 5-ml ampoule.
10.2.6	Warfarin	S,T	Tablet 1mg Tablet 2 mg Tablet 3 mg Tablet 5 mg
Section 11–Blood products and Plasma substitutes			
11.1–Blood and Blood components			
All forms of the following as approved by licensing authority are considered as included in NLEM. However, considering the process, technology and other relevant aspects, they should be considered differently for purposes such as procurement policy, pricing etc.			
11.1.1	Fresh frozen plasma	S,T	As licensed
11.1.2	Platelet rich plasma	S,T	As licensed
11.1.3	Red blood cells	S,T	As licensed
11.1.4	Whole blood	S,T	As licensed
11.2–Plasma substitutes			
	Medicine	Level of Healthcare	Dosage form and strength
11.2.1	Dextran-40	S,T	Injection 10%
11.3–Plasma fractions for specific use			
In case of coagulation factors and other blood products, irrespective of variation in source, all forms of these products as approved by licensing authority are considered as included in NLEM. However, considering the source, process, technology and other relevant aspects, they should be considered differently for purposes such as procurement policy, pricing etc.			
	Medicine	Level of Healthcare	Dosage form and strength
11.3.1	Coagulation factor IX	S,T	Powder for Injection 500 IU –in vial.

11.3.2	Coagulation factor VIII	S,T	Powder for Injection 250 IU Powder for Injection 500 IU In vial
11.3.3	Cryoprecipitate	S,T	As licensed
Section 12-Cardiovascular medicines			
12.1-Medicines used in angina			
	Medicine	Level of Healthcare	Dosage form and strength
12.1.1	Acetylsalicylic acid	P,S,T	Tablet 75 mg Effervescent/ Dispersible/ Enteric coated Tablet 75 mg Tablet 100 mg Effervescent/ Dispersible/ Enteric coated Tablet 100 mg Tablet 150 mg Effervescent/ Dispersible/ Enteric coated Tablet 150 mg
12.1.2	Clopidogrel	P,S,T	Tablet 75 mg
12.1.3	Diltiazem	P,S,T	Tablet 30 mg Tablet 60 mg SR Tablet 90 mg
		T	Injection 5 mg/ml in 5-ml. ample.
12.1.4	Glyceryl trinitrate	P,S,T	Sublingual tablet 0.5 mg
		S,T	Injection 5 mg/ml- 5ml& 10ml ample.
12.1.5	Isosorbide-5-mononitrate	P,S,T	Tablet 10 mg Tablet 20 mg SR Tablet 30 mg SR Tablet 60 mg
12.1.6	Isosorbide dinitrate	P,S,T	Tablet 5 mg Tablet 10 mg
12.1.7	Metoprolol	P,S,T	Tablet 25 mg Tablet 50 mg SR Tablet 25 mg SR Tablet 50 mg

12.2-Antiarrhythmic medicines			
	Medicine	Level of Healthcare	Dosage form and strength
12.2.1	Adenosine	S,T	Injection 3 mg/ml in 2-ml ample.
12.2.2	Amiodarone	S,T	Tablet 100 mg Tablet 200 mg Injection 50 mg/ml in 3ml.ample.
12.2.3	Esmolol	T	Injection 10 mg/ml in 10-ml.vial.
12.2.4	Lignocaine	S,T	Injection 2% (Preservative free for IV use) in 30ml vial.
12.2.5	Verapamil	S,T	Tablet 40 mg Tablet 80 mg Injection 2.5 mg/ml in 2ml. ample
12.3-Antihypertensive medicines			
	Medicine	Level of Healthcare	Dosage form and strength
12.3.1	Amlodipine	P,S,T	Tablet 2.5 mg Tablet 5 mg Tablet 10 mg
12.3.2	Atenolol	P,S,T	Tablet 50 mg Tablet 100 mg
12.3.3	Enalapril	P,S,T	Tablet 2.5 mg Tablet 5 mg
12.3.4	Hydrochlorothiazid e	P,S,T	Tablet 12.5 mg Tablet 25 mg
12.3.5	Labetalol	P,S,T	Injection 5 mg/ml 4ml. & 20-ml.vial.
12.3.6	Methyldopa	P,S,T	Tablet 250 mg Tablet 500 mg

12.3.7	Ramipril	P,S,T	Tablet 2.5 mg Tablet 5 mg
12.3.8	Sodium nitroprusside	T	Injection 10 mg/ml in 5ml.ample.
12.3.9	Telmisartan	P,S,T	Tablet 20 mg Tablet 40 mg Tablet 80 mg
12.3.10	Captopril	S,T	Tabs. 12.5mg,25mg 50mg.
12.4-Medicines used in shock and heart failure			
	Medicine	Level of Healthcare	Dosage form and strength
12.4.1	Digoxin	S,T	Tablet 0.25 mg Oral liquid 0.05 mg/ml Injection 0.25 mg/ml in 2-ml. ample.
12.4.2	Dobutamine	S,T	Injection 50 mg/ml in 5-ml.vial.
12.4.3	Dopamine	S,T	Injection 40 mg/ml in 5- ml. vial.
12.4.4	Noradrenaline	S,T	Injection 2 mg/ml 1ml. ample
12.4.5	Mephentermine	S,T	Inj.30mg/ml 1ml. ample.
12.5-Antithrombotic medicine (Cardiovascular/Cerebrovascular)			
	Medicine	Level of Healthcare	Dosage form and strength

12.5.1	Acetylsalicylic acid	P,S,T	Tablet 75 mg Effervescent/ Dispersible/ Enteric coated Tablet 75 mg Tablet 100 mg Effervescent/ Dispersible/ Enteric coated Tablet 100 mg Tablet 150 mg Effervescent/ Dispersible/ Enteric coated Tablet 150 mg
12.5.2	Alteplase	T	Powder for Injection 20 mg Powder for Injection 50 mg in vial.
12.5.3	Heparin	S,T	Injection 1000 IU/ml Injection 5000 IU/ml in 1-ml. ample.
12.5.4	Streptokinase	S,T	Injection 750,000 IU Injection 15,00,000 IU in vial.
12.6-Hypolipidemic medicines			
	Medicine	Level of Healthcare	Dosage form and strength
12.6.1	Atorvastatin	P,S,T	Tablet 10 mg Tablet 20 mg Tablet 40 mg
Section 13-Medicines used in dementia			
	Medicine	Level of Healthcare	Dosage form and strength
13.1	Donepezil	S,T	Tablet 5 mg Tablet 10 mg
Section 14-Dermatological medicines (Topical)			
14.1-Antifungal medicines			
	Medicine	Level of Healthcare	Dosage form and strength
14.1.1	Clotrimazole	P,S,T	Cream 1%
14.1.2	Terbinafine	P,S,T	Tab. 250mg. Cream—1% ,Ointment-1%

14.2-Anti-infective medicines			
	Medicine	Level of Healthcare	Dosage form and strength
14.2.1	Framycetin	P,S,T	Cream 0.5%
14.2.2	Fusidic acid	P,S,T	Cream 2%
14.2.3	Methylrosanilinium chloride (Gentian Violet)	P,S,T	Topical preparation 0.25% to 2%
14.2.4	Povidone iodine	P,S,T	Solution 4% to 10%
14.2.5	Silver sulphadiazine	P,S,T	Cream 1%
14.3-Anti-inflammatory and antipruritic medicines			
	Medicine	Level of Healthcare	Dosage form and strength
14.3.1	Betamethasone	P,S,T	Cream 0.05% Cream 0.1%
14.3.2	Calamine	P,S,T	Lotion (As per IP)
14.4-Medicines affecting skin differentiation and proliferation			
	Medicine	Level of Healthcare	Dosage form and strength
14.4.1	Benzoyl peroxide	P,S,T	Gel 2.5%
14.4.2	Coal tar	P,S,T	Solution 5%
14.4.3	Podophyllin resin	S,T	Solution 10% to 25%
14.4.4	Salicylic acid	P,S,T	Ointment 6%

14.5-Scabicides and pediculicides			
	Medicine	Level of Healthcare	Dosage form and strength
14.5.1	Permethrin	P,S,T	Lotion 1% Cream 5%
14.6-Miscellaneous			
	Medicine	Level of Healthcare	Dosage form and strength
14.6.1	Glycerin	P,S,T	Oral Liquid
14.6.2	White Petrolatum	P,S,T	Jelly 100%
Section 15 –Diagnostic agents			
15.1-Ophthalmic medicines			
	Medicine	Level of Healthcare	Dosage form and strength
15.1.1	Fluorescein	S,T	Eye drop 1%
15.1.2	Lignocaine	S,T	Eye drop 4%
15.1.3	Tropicamide	S,T	Eye drop 1%
15.2-Radiocontrast media			
	Medicine	Level of Healthcare	Dosage form and strength
15.2.1	Barium sulphate	S,T	Oral liquid 100% w/v Oral liquid 250% w/v
15.2.2	Gadobenate	T	Injection 529 mg/ml
15.2.3	Iohexol	S,T	Injection 140 to 350 mg iodine/ml

15.2.4	Meglumine diatrizoate	S,T	Injection 60% w/v Injection 76% w/v
Section 16-Dialysis solutions			
	Medicine	Level of Healthcare	Dosage form and strength
16.1	Haemodialysis fluid	S,T	As licensed
16.2	Intraperitoneal dialysis solution	S,T	As licensed
Section 17-Disinfectants and antiseptics			
17.1-Antiseptics			
	Medicine	Level of Healthcare	Dosage form and strength
17.1.1	Cetrimide	P,S,T	Solution 20% (Concentrate for dilution)
17.1.2	Chlorhexidine	P,S,T	Solution 5% (Concentrate for dilution)
17.1.3	Ethyl alcohol (Denatured)	P,S,T	Solution 70%
17.1.4	Hydrogen peroxide	P,S,T	Solution 6%
17.1.5	Methylrosanilinium chloride (Gentian Violet)	P,S,T	Topical preparation 0.25% to 2%
17.1.6	Povidone iodine	P,S,T	Solution 4% to 10%
17.2-Disinfectants			
	Medicine	Level of Healthcare	Dosage form and strength
17.2.1	Bleaching powder	P,S,T	Containing not less than 30% w/w of available chlorine (as per I.P)
17.2.2	Glutaraldehyde	S,T	Solution 2%

17.2.3	Potassium permanganate	P,S,T	Crystals for topical solution
Section 18-Diuretics			
	Medicine	Level of Healthcare	Dosage form and strength
18.1	Furosemide	P,S,T	Tablet 40 mg Oral liquid 10 mg/ml Injection 10 mg/ ml in 2ml-ample
18.2	Hydrochlorothiazide	P,S,T	Tablet 25 mg Tablet 50 mg
18.3	Mannitol	P,S,T	Injection 10% Injection 20%
18.4	Spironolactone	P,S,T	Tablet 25 mg Tablet 50 mg

Section 19-Ear, nose and throat medicines			
19.1	Budesonide	P,S,T	Nasal Spray 50 mcg/dose Nasal Spray 100 mcg/dose
19.2	Ciprofloxacin	P,S,T	Drops 0.3 % eye and ear drop.
19.3	Clotrimazole	P,S,T	Drops 1% ear drop.
19.4	Xylometazoline	P,S,T	Nasal drops 0.05 % Nasal drops 0.1 %
Section 20-Gastrointestinal medicines			
20.1-Antiulcer medicines			
	Medicine	Level of Healthcare	Dosage form and strength
20.1.1	Omeprazole	P,S,T	Capsule 10 mg Capsule 20 mg Capsule 40 mg Powder for oral liquid 20 mg

20.1.2	Pantoprazole	S,T	40mg cap . (P,S,T) Injection 40 mg
20.1.3	Ranitidine	P,S,T	Tablet 150 mg Oral liquid 75 mg/5 ml Injection 25 mg/ml in 2ml. ample.
20.1.4	Sucralfate	S,T	Oral liquid 1 g
20.2-Antiemetics			
	Medicine	Level of Healthcare	Dosage form and strength
20.2.1	Domperidone	P,S,T	Tablet 10 mg Oral liquid 1 mg/ml
20.2.2	Metoclopramide	P,S,T	Injection 5 mg/ml in 2ml. ample.
20.2.3	Ondansetron	S,T	Tablet 4 mg Oral liquid 2 mg/5 ml Injection 2 mg/ml in 2ml. ample.
20.3-Anti inflammatory medicines			
	Medicine	Level of Healthcare	Dosage form and strength
20.3.1	5-aminosalicylic acid	S,T	Tablet 400 mg Suppository 500 mg Retention Enema
20.4-Antispasmodic medicines			
	Medicine	Level of Healthcare	Dosage form and strength
20.4.1	Dicyclomine	P,S,T	Tablet 10 mg Oral Solution 10mg/5ml Injection 10 mg/ml in 2ml. ample.
20.4.2	Hyoscine butylbromide	P,S,T	Tablet 10 mg Injection 20 mg/ml 1ml & 2ml. ample.

20.4.3	Drotaverine	P,S,T	Tab.40mg &80mg. Inj. 40mg/2ml 2ml.ample.
20.5-Laxatives			
	Medicine	Level of Healthcare	Dosage form and strength
20.5.1	Bisacodyl	P,S,T	Tablet 5 mg Suppository 5 mg
20.5.2	Ispaghula	P,S,T	Granules/ Husk/ Powder
20.5.3	Lactulose	S,T	Oral liquid 10 g/15 ml
20.6-Medicines used in diarrhoea			
	Medicine	Level of Healthcare	Dosage form and strength
20.6.1	Oral rehydration salts	P,S,T	As licensed
20.6.2	Zinc sulphate	P,S,T	Dispersible Tablet 20 mg
20.7-Other medicines			
20.7.1	Somatostatin	T	Powder for Injection 3 mg in vial.
Section 21-Hormones, other endocrine medicines and contraceptives			
21.1-Adrenal hormones and synthetic substitutes			
	Medicine	Level of Healthcare	Dosage form and strength
21.1.1	Dexamethasone	S,T	Tablet 0.5 mg Injection 4 mg/ml 2ml. vial

21.1.2	Human chorionic gonadotropin	T	Injection 1000 IU Injection 5000 IU in vial.
21.1.3	Hydrocortisone	P,S,T	Tablet 5 mg Tablet 10 mg Injection 100 mg/ml in 1ml. vial.
21.1.4	Methylprednisolone	S,T	Tablet 8 mg Tablet 16 mg Tablet 32 mg Injection 40 mg/ml 1ml. vial.
21.1.5	Prednisolone	P,S,T	Tablet 5 mg Tablet 10 mg Tablet 20 mg
21.1.6.	Deflazacort	P,S,T	6mg and 12mg tab.
21.2-Contraceptives			
21.2.1-Hormonal contraceptives			
	Medicine	Level of Healthcare	Dosage form and strength
21.2.1.1	Ethinylestradiol (A) + Levonorgestrel	P,S,T	Tablet 0.03 mg (A) + 0.15 mg (B)
21.2.1.2	Ethinylestradiol (A) + Norethisterone	P,S,T	Tablet 0.035 mg (A) + 1 mg (B)
21.2.2-Intrauterine devices			
	Medicine	Level of Healthcare	Dosage form and strength
21.2.2.1	Hormone releasing IUD	T	Contains 52 mg of Levonorgestrel
21.2.2.2	IUD containing Copper	P,S,T	As licensed

21.2.3-Barrier methods			
	Medicine	Level of Healthcare	Dosage form and strength
21.2.3.1	Condom	P,S,T	As per the standards prescribed in Schedule R of Drugs and Cosmetics rules, 1945
21.3-Estrogens			
	Medicine	Level of Healthcare	Dosage form and strength
21.3.1	Ethinylestradiol	P,S,T	Tablet 0.01 mg Tablet 0.05 mg
21.3.2	Levonorgestrel	P,S,T	Tablet 0.75 mg
21.4-Medicines used in diabetes mellitus			
21.4.1-Insulins and other antidiabetic agents			
	Medicine	Level of Healthcare	Dosage form and strength
21.4.1.1	Glimepiride	P,S,T	Tablet 1 mg Tablet 2 mg
21.4.1.2	Insulin (Soluble)	P,S,T	Injection 40 IU/ml
21.4.1.3	Intermediate Acting (NPH) Insulin	P,S,T	Injection 40 IU/ml
21.4.1.4	Metformin	P,S,T	Tablet 500 mg Tablet 750 mg Tablet 1000 mg (Immediate and controlled release)
21.4.1.5	Premix Insulin 30:70 Injection (Regular:NPH)	P,S,T	Injection 40 IU/ml
21.4.2-Medicines used to treat hypoglycemia			

	Medicine	Level of Healthcare	Dosage form and strength
21.4.2.1	Glucose	P,S,T	Injection 25 %
21.5-Ovulation Inducers			
	Medicine	Level of Healthcare	Dosage form and strength
21.5.1	Clomiphene	T	Tablet 50 mg Tablet 100 mg
21.6-Progestogens			
	Medicine	Level of Healthcare	Dosage form and strength
21.6.1	Medroxyprogesterone acetate	P,S,T	Tablet 5 mg Tablet 10 mg
21.6.2	Norethisterone	P,S,T	Tablet 5 mg
21.7-Thyroid and antithyroid medicines			
	Medicine	Level of Healthcare	Dosage form and strength
21.7.1	Carbimazole	P,S,T	Tablet 5 mg Tablet 10 mg
21.7.2	Levothyroxine	P,S,T	Tablet 12.5 mcg to 150 mcg* (Several strengths are available in market such as 12.5, 25, 50, 62.5, 75, 88, 100, 112 mcg. Therefore it was considered to give a range of available strengths)
Section 22-Immunologicals			
In case of these biologicals, irrespective of variation in source, composition and strengths, all the products of the same vaccine/ sera/ immunoglobulin, as approved by licensing authority are considered as included in NLEM. However, considering the source, process, technology and other relevant aspects, different products of the same biologicals should be considered differently for purposes such as procurement policy, pricing etc.			

22.1-Diagnostic agents			
	Medicine	Level of Healthcare	
22.1.1	Tuberculin, Purified Protein derivative	P,S,T	
22.2-Sera and immunoglobulins (Liquid/ Lyophilized)			
	Medicine	Level of Healthcare	
22.2.1	Anti-rabies immunoglobulin	P,S,T	
22.2.2	Anti-tetanus immunoglobulin	P,S,T	
22.2.3	Anti-D immunoglobulin	S, T	
22.2.4	Diphtheria antitoxin	P,S,T	
22.2.5	Hepatitis B immunoglobulin	S,T	
22.2.6	Human normal immunoglobulin	T	
22.2.7	Snake venom antiserum a) Soluble/ liquid polyvalent b) Lyophilized polyvalent	P,S,T	
22.3-Vaccines			
a) All the vaccines which are under Universal Immunization Programme of India (UIP) will be deemed included in JLEM. Presently, the UIP has BCG, DPT, OPV, measles, Hepatitis B, Japanese encephalitis & Pentavalent Vaccines.			
b) In future, the vaccines which are under consideration , if and when included in UIP, will also be deemed included from the date of inclusion in UIP. These are pneumococcal and HPV vaccines.			
22.3.1-For universal immunisation			

	Medicine	Level of Healthcare	
22.3.1.1	BCG vaccine	P,S,T	
22.3.1.2	DPT + Hib + Hep B vaccine	P,S,T	
22.3.1.3	DPT vaccine	P,S,T	
22.3.1.4	Hepatitis B vaccine	P,S,T	
22.3.1.5	Japanese encephalitis vaccine	P,S,T	
22.3.1.6	Measles vaccine	P,S,T	
22.3.1.7	Oral poliomyelitis vaccine	P,S,T	
22.3.1.8	Tetanus toxoid	P,S,T	
22.3.2-For Specific Group of Individuals			
	Medicine	Level of Healthcare	
22.3.2.1	Rabies vaccine	P,S,T	
Section 23-Muscle relaxants and cholinesterase inhibitors			
	Medicine	Level of Healthcare	Dosage form and strength
23.1	Atracurium	S,T	Injection 10 mg/ml 2.5ml. ample.
23.2	Baclofen	S,T	Tablet 5 mg Tablet 10 mg Tablet 20 mg
23.3	Neostigmine	S,T	Tablet 15 mg Injection 0.5 mg/ml in 1ml. ample.
23.4	Succinylcholine	S,T	Injection 50 mg/ml in 2ml. ample.

23.5	Vecuronium	S,T	Powder for Injection 4 mg Powder for Injection 10 mg in vial
Section 24–Medicines for neonatal care			
	Medicine	Level of Healthcare	Dosage form and strength
24.1	Alprostadil	T	Injection 0.5 mg/ml in 1ml. ample.
24.2	Caffeine	S,T	Oral liquid 20 mg/ml Injection 20 mg/ml in 1ml. ample.
24.3	Surfactant	S,T	Suspension for intratracheal instillation (As liensed)
Section 25–Ophthalmological Medicines			
25.1–Anti-infective medicine			
	Medicine	Level of Healthcare	Dosage form and strength
25.1.1	Acyclovir	P,S,T	Ointment 3%
25.1.2	Ciprofloxacin	P,S,T	Drops 0.3 % Ointment 0.3%
25.1.3	Erythromycin	P,S,T	Ointment 0.5%
25.1.4	Gentamicin	P,S,T	Drops 0.3%
25.1.5	Natamycin	P,S,T	Drops 5%
25.1.6	Povidone iodine	P,S,T	Drops 0.6% Drops 5%
25.2–Antiinflammatory medicine			
	Medicine	Level of Healthcare	Dosage form and strength

25.2.1	Prednisolone	P,S,T	Drops 0.1% Drops 1%
25.3-Local anaesthetics			
	Medicine	Level of Healthcare	Dosage form and strength
25.3.1	Proparacaine	P,S,T	Drops 0.5%
25.4-Miotics and antiglaucoma medicines			
	Medicine	Level of Healthcare	Dosage form and strength
25.4.1	Acetazolamide	P,S,T	Tablet 250 mg
25.4.2	Pilocarpine	P,S,T	Drops 2% Drops 4%
25.4.3	Timolol	P,S,T	Drops 0.25% Drops 0.5%
25.5-Mydriatics			
	Medicine	Level of Healthcare	Dosage form and strength
25.5.1	Atropine	P,S,T	Drops 1% Ointment 1%
25.5.2	Homatropine	P,S,T	Drops 2%
25.5.3	Phenylephrine	P,S,T	Drops 5% Drops 10 %
25.5.4	Tropicamide	P,S,T	Drops 1%
25.6-Ophthalmic surgical aids			
	Medicine	Level of Healthcare	Dosage form and strength

25.6.1	Hydroxypropyl methylcellulose	T	Injection 2% in 10ml ample.
25.7-Miscellaneous			
	Medicine	Level of Healthcare	Dosage form and strength
25.7.1	Carboxymethylcell ulose	P,S,T	Drops 0.5% Drops 1 %
Section 26-Oxytocics and Antioxytocics			
26.1-Oxytocics and abortifacient			
	Medicine	Level of Healthcare	Dosage form and strength
26.1.1	Dinoprostone	S,T	Tablet 0.5 mg Gel 0.5 mg
26.1.2	Methylergometrine	P,S,T	Tablet 0.125 mg Injection 0.2 mg/ml in 1ml. ample.
26.1.3	Mifepristone	T	Tablet 200 mg
26.1.4	Misoprostol	T	Tablet 100 mcg Tablet 200 mcg
26.1.5	Oxytocin	S,T	Injection 5 IU/ml Injection 10 IU/ml in 1ml. ample.
26.1.6	Combipack of Mifepristone and Misoprostol	S,T	One tab.of 200mg. Mifepristone and four tab of Misoprostol 200mcg.
26.2-Medicines used in pre term labour			
	Medicine	Level of Healthcare	Dosage form and strength
26.2.1	Betamethasone	P,S,T	Injection 4 mg/ml in 2ml. vial.
26.2.2	Nifedipine	S,T	Tablet 10 mg
Section 27-Psychotherapeutic medicines			
27.1-Medicines used in psychotic disorders			

	Medicine	Level of Healthcare	Dosage form and strength
27.1.1	Clozapine	T	Tablet 25 mg Tablet 50 mg Tablet 100 mg
27.1.2	Fluphenazine	S,T	Depot Injection 25 mg/ml
27.1.3	Haloperidol	S,T	Tablet 5 mg Tablet 10 mg Tablet 20 mg Oral liquid 2 mg/ 5ml
27.1.4	Risperidone	P,S,T	Tablet 1 mg Tablet 2 mg Tablet 4 mg Oral liquid 1 mg/ml
27.2-Medicines used in mood disorders			
27.2.1-Medicines used in depressive disorders			
	Medicine	Level of Healthcare	Dosage form and strength
27.2.1.1	Amitriptyline	P,S,T	Tablet 10 mg Tablet 25 mg Tablet 50 mg Tablet 75 mg
27.2.1.2	Escitalopram	S,T	Tablet 5 mg Tablet 10 mg Tablet 20 mg
27.2.1.3	Fluoxetine	P,S,T	Capsule 10 mg Capsule 20 mg Capsule 40 mg Capsule 60 mg
27.2.1.4	Imipramine	S,T	Tab. 10mg,25mg,75mg.
27.2.2-Medicines used in Bipolar disorders			
	Medicine	Level of Healthcare	Dosage form and strength

27.2.2.1	Lithium	S,T	Tablet 300 mg
27.2.2.2	Sodium valproate	P,S,T	Tablet 200 mg Tablet 500 mg
27.2.2.3	Olanzapine	S,T	Film coated 2.5mg.,5mg.,7.5mg. &10mg.
27.3-Medicines used for Generalized Anxiety and Sleep Disorders			
	Medicine	Level of Healthcare	Dosage form and strength
27.3.1	Clonazepam	P,S,T	Tablet 0.25 mg Tablet 0.5 mg Tablet 1 mg
27.3.2	Zolpidem	P,S,T	Tablet 5 mg Tablet 10 mg
27.4-Medicines used for obsessive compulsive disorders and panicattacks			
	Medicine	Level of Healthcare	Dosage form and strength
27.4.1	Clomipramine	S,T	Capsule 10 mg Capsule 25 mg Capsule 75 mg
27.4.2	Fluoxetine	P,S,T	Capsule 10 mg Capsule 20 mg Capsule 40 mg Capsule 60 mg
Section 28-Medicines acting on the respiratory tract			
28.1-Antiasthmatic medicines			
	Medicine	Level of Healthcare	Dosage form and strength

28.1.1	Budesonide	P,S,T	Inhalation (MDI/DPI) 100 mcg/dose Inhalation (MDI/DPI) 200 mcg/dose Respirator solution for use in nebulizer 0.5 mg/ml Respirator solution for use in nebulizer 1 mg/ml In 1ml & 2ml.ample.
28.1.2	Budesonide (A)+ Formoterol (B)	P,S,T	Inhalation (MDI/DPI) 100 mcg (A) + 6 mcg (B) Inhalation (MDI/DPI) 200 mcg (A) + 6 mcg (B) Inhalation (MDI/DPI) 400 mcg (A) + 6 mcg (B)
28.1.3	Hydrocortisone	P,S,T	Injection 100 mg Injection 200 mg in 1ml & 2ml. vial.
8.1.4	Ipratropium	P,S,T	Inhalation (MDI/DPI) 20 mcg/dose Respirator solution for use in nebulizer 250 mcg/ml
28.1.5	Salbutamol	P,S,T	Tablet 2 mg Tablet 4 mg Oral liquid 2 mg/5 ml Inhalation (MDI/DPI) 100 mcg/dose Respirator solution for use in nebulizer 5mg/ml
28.1.6	Tiotropium	P,S,T	Inhalation (MDI) 9 mcg/dose Inhalation (DPI) 18 mcg/dose
			MDI- Metered dose inhaler DPI- Dry Powder inhaler
Section 29-Solutions correcting water, electrolyte disturbances and acid-base disturbances			
	Medicine	Level of Healthcare	Dosage form and strength
29.1	Glucose	P,S,T	Injection 5% Injection 10% Injection 25% Injection 50%

29.2	Glucose (A) + Sodium chloride (B)	P,S,T	Injection 5% (A) + 0.9% (B)
29.3	Oral rehydration salts	P,S,T	As licensed
29.4	Potassium chloride	P,S,T	Injection 150 mg/ml in 20ml. ample. Oral liquid 500 mg/5 ml
29.5	Ringer lactate	P,S,T	Injection (as per IP)
29.6	Sodium bicarbonate	P,S,T	Injection (as per IP)
29.7	Sodium chloride	P,S,T	Injection 0.9%
		S,T	Injection 0.45% Injection 3%
29.3–Miscellaneous			
	Medicine	Level of Healthcare	Dosage form and strength
29.3.1	Water for Injection	P,S,T	Injection
Section 30–Vitamins and minerals			
	Medicine	Level of Healthcare	Dosage form and strength
30.1	Ascorbic acid (Vitamin C)	P,S,T	Tablet 100 mg Tablet 500 mg
30.2	Calcium carbonate	P,S,T	Tablet 250 mg Tablet 500 mg
30.3	Calcium gluconate	P,S,T	Injection 100 mg/ml - 10ml. ample.

30.4	Cholecalciferol	P,S,T	Tablet 1000 IU, Tablet 60000 IU Oral liquid 400 IU/ml
30.5	Nicotinamide	P,S,T	Tablet 50 mg
30.6	Pyridoxine	P,S,T	Tablet 10 mg Tablet 50 mg Tablet 100 mg
30.7	Riboflavin	P,S,T	Tablet 5 mg
30.8	Thiamine	P,S,T	Tablet 100 mg Injection 100 mg/ml
30.9	Vitamin A	P,S,T	Capsule 5000 IU Capsule 50000 IU Capsule 100000 IU Oral liquid 100000 IU/ml Injection 50000 IU/ml - 2ml. ample
30.10	Mecobalamin	P S T	Tab. 500µgm Inj. 500µgm/ml. 1ml. ample.

सुधीर त्रिपाठी,
सरकार के अपर मुख्य सचिव ।

Alphabetical list of medicines in JLEM 2017

1. 5-aminosalicylic acid
2. 5-Fluorouracil
3. 6-Mercaptopurine
4. Abacavir
5. Abacavir + Lamivudine
6. Acetazolamide
7. Acetylsalicylic acid
8. Actinomycin D
9. Activated charcoal
10. Acyclovir
11. Adenosine
12. Adrenaline
13. Albendazole
14. Allopurinol
15. All-trans retinoic acid
16. Alprostadil
17. Alteplase
18. Amiodarone
19. Amitriptyline
20. Amlodipine
21. Amoxicillin
22. Amoxicillin + Clavulanic acid

-
23. Lipid/ Liposomal Amphotericin B
 24. Ampicillin
 25. Anti-D immunoglobulin
 26. Anti-rabies immunoglobulin
 27. Anti-tetanus immunoglobulin
 28. Arsenic Trioxide
 29. Artemether + Lumefantrine
 30. Artesunate
 31. Artesunate + Sulphadoxine - Pyrimethamine
 32. Ascorbic acid (Vitamin C)
 33. Atazanavir + Ritonavir
 34. Atenolol
 35. Atorvastatin
 36. Atracurium
 37. Atropine
 38. Azathioprine
 39. Azithromycin
 40. Baclofen
 41. Barium sulphate
 42. BCG vaccine
 43. Benzathine benzylpenicillin
 44. Benzoyl peroxide
 45. Benzyl penicillin
 46. Betamethasone
 47. Bicalutamide
 48. Bisacodyl
 49. Bleaching powder
 50. Bleomycin
 51. Bortezomib
 52. Budesonide
 53. Budesonide + Formoterol

-
- | | |
|-----|------------------------|
| 54. | Bupivacaine |
| 55. | Caffeine |
| 56. | Calamine |
| 57. | Calcium carbonate |
| 58. | Calcium folinate |
| 59. | Calcium gluconate |
| 60. | Capecitabine |
| 61. | Capreomycin |
| 62. | Captopril |
| 63. | Carbamazepine |
| 64. | Carbimazole |
| 65. | Carboplatin |
| 66. | Carboxymethylcellulose |
| 67. | Cefadroxil |
| 68. | Cefazolin |
| 69. | Cefixime |
| 70. | Cefotaxime |
| 71. | Ceftazidime |
| 72. | Ceftriaxone |
| 73. | Cetirizine |
| 74. | Cetrimide |
| 75. | Chlorambucil |
| 76. | Chlorhexidine |
| 77. | Chloroquine |
| 78. | Chlorpheniramine |
| 79. | Cholecalciferol |
| 80. | Ciprofloxacin |
| 81. | Cisplatin |
| 82. | Clarithromycin |

-
- | | |
|------|--|
| 83. | Clindamycin |
| 84. | Clobazam |
| 85. | Clofazimine |
| 86. | Clomiphene |
| 87. | Clomipramine |
| 88. | Clonazepam |
| 89. | Clopidogrel |
| 90. | Clotrimazole |
| 91. | Clozapine |
| 92. | Coagulation factor IX |
| 93. | Coagulation factor VIII |
| 94. | Coal tar |
| 95. | Colchicine |
| 96. | Condom |
| 97. | Co-trimoxazole [Sulphamethoxazole + Trimethoprim] |
| 98. | Cryoprecipitate |
| 99. | Cyclophosphamide |
| 100. | Cycloserine |
| 101. | Cyclosporine |
| 102. | Cytosine arabinoside |
| 103. | Dacarbazine |
| 104. | Dapsone |
| 105. | Darunavir |
| 106. | Daunorubicin |
| 107. | Deflazacort |
| 108. | Desferrioxamine |
| 109. | Dexamethasone |
| 110. | Dextran-40 |
| 111. | Diazepam |
| 112. | Diclofenac |

-
- | | |
|------|---------------------------|
| 113. | Dicloxacillin |
| 114. | Dicyclomine |
| 115. | Diethylcarbamazine |
| 116. | Digoxin |
| 117. | Diloxanide furoate |
| 118. | Diltiazem |
| 119. | Dimercaprol |
| 120. | Dinoprostone |
| 121. | Diphenyl hydantoin |
| 122. | Diphtheria antitoxin |
| 123. | Dobutamine |
| 124. | Docetaxel |
| 125. | Domperidone |
| 126. | Donepezil |
| 127. | Dopamine |
| 128. | Doxorubicin |
| 129. | Doxycycline |
| 130. | DPT + Hib + Hep B vaccine |
| 131. | DPT vaccine |
| 132. | Drotaverine |
| 133. | Efavirenz |
| 134. | Enalapril |
| 135. | Enoxaparin |
| 136. | Entecavir |
| 137. | Erythromycin |
| 138. | Erythropoietin |
| 139. | Escitalopram |
| 140. | Esmolol |
| 141. | Ethambutol |
| 142. | Ethinylestradiol |

-
- | | |
|------|-----------------------------------|
| 143. | Ethinylestradiol + Levonorgestrel |
| 144. | Ethinylestradiol + Norethisterone |
| 145. | Ethionamide |
| 146. | Ethyl alcohol (Denatured) |
| 147. | Etoposide |
| 148. | Fentanyl |
| 149. | Ferrous salt + Folic acid |
| 150. | Ferrous salts |
| 151. | Filgrastim |
| 152. | Fluconazole |
| 153. | Flunarizine |
| 154. | Fluorescein |
| 155. | Fluoxetine |
| 156. | Fluphenazine |
| 157. | Folic acid |
| 158. | Framycetin |
| 159. | Fresh frozen plasma |
| 160. | Furosemide |
| 161. | Fusidic acid |
| 162. | Gadobenate |
| 163. | Ganciclovir |
| 164. | Gefetinib |
| 165. | Gemcitabine |
| 166. | Gentamicin |
| 167. | Glimepiride |
| 168. | Glucose |
| 169. | Glucose + Sodium chloride |
| 170. | Glutaraldehyde |
| 171. | Glycerin |
| 172. | Glyceryl trinitrate |

173.	Glycopyrrolate
174.	Griseofulvin
175.	Haemodialysis fluid
176.	Haloperidol
177.	Halothane
178.	Heparin
179.	Hepatitis B immunoglobulin
180.	Hepatitis B vaccine
181.	Homatropine
182.	Hormone releasing IUD
183.	Human chorionic gonadotropin
184.	Human normal immunoglobulin
185.	Hydrochlorothiazide
186.	Hydrocortisone
187.	Hydrogen peroxide
188.	Hydroxocobalamin
189.	Hydroxychloroquine
190.	Hydroxypropyl methylcellulose
191.	Hydroxyurea
192.	Hyoscine butylbromide
193.	Ibuprofen
194.	Ifosfamide
195.	Imatinib
196.	Imipramine
197.	Insulin (Soluble)
198.	Intermediate Acting (NPH) Insulin
199.	Intraperitoneal dialysis solution
200.	Iohexol
201.	Ipratropium
202.	Iron sucrose

-
- | | |
|------|-------------------------------------|
| 203. | Isoflurane |
| 204. | Isoniazid |
| 205. | Isosorbide-5-mononitrate |
| 206. | Isosorbide dinitrate |
| 207. | Ispaghula |
| 208. | IUD containing Copper |
| 209. | Japanese encephalitis vaccine |
| 210. | Kanamycin |
| 211. | Ketamine |
| 212. | Labetalol |
| 213. | Lactulose |
| 214. | Lamivudine + Nevirapine + Stavudine |
| 215. | Lamivudine + Zidovudine |
| 216. | L-Asparaginase |
| 217. | Leflunomide |
| 218. | Letrozole |
| 219. | Levetiracetam |
| 220. | Levodopa + Carbidopa |
| 221. | Levofloxacin |
| 222. | Levonorgestrel |
| 223. | Levothyroxine |
| 224. | Lignocaine |
| 225. | Lignocaine + Adrenaline |
| 226. | Linezolid |
| 227. | Lithium |
| 228. | Loperamide |
| 229. | Lopinavir + Ritonavir |
| 230. | Lorazepam |
| 231. | Magnesium sulphate |
| 232. | Mannitol |
| 233. | Measles vaccine |
| 234. | Mebendazole |

235.	Mecobalamin
236.	Medroxyprogesteroneacetate
237.	Mefenamic acid
238.	Mefloquine
239.	Meglumine diatrizoate
240.	Melphalan
241.	Mephentermine
242.	Mesna
243.	Metformin
244.	Methotrexate
245.	Methyldopa
246.	Methylergometrine
247.	Methylprednisolone
248.	Methylrosanilinium chloride (Gentian Violet)
249.	Methylthioninium chloride (Methylene blue)
250.	Metoclopramide
251.	Metoprolol
252.	Metronidazole
253.	Midazolam
254.	Mifepristone
255.	Miltefosine
256.	Misoprostol
257.	Morphine
258.	Moxifloxacin
259.	Mycophenolate mofetil
260.	N-acetylcysteine
261.	Naloxone
262.	Natamycin
263.	Neostigmine
264.	Nevirapine
265.	Nicotinamide
266.	Nifedipine

-
- | | |
|------|----------------------------------|
| 267. | Nitrofurantoin |
| 268. | Nitrous oxide |
| 269. | Nor adrenaline |
| 270. | Norethisterone |
| 271. | Nystatin |
| 272. | Omeprazole |
| 273. | Ondansetron |
| 274. | Olanzapine |
| 275. | Oral poliomyelitis vaccine |
| 276. | Oral rehydration salts |
| 277. | Ornidazole |
| 278. | Oseltamivir |
| 279. | Oxaliplatin |
| 280. | Oxygen |
| 281. | Oxytocin |
| 282. | Paclitaxel |
| 283. | Pantoprazole |
| 284. | Para-aminosalicylic acid |
| 285. | Paracetamol |
| 286. | Paromomycin |
| 287. | Pegylated interferon alfa 2a/ 2b |
| 288. | Penicillamine |
| 289. | Pentamidine |
| 290. | Permethrin |
| 291. | Pheniramine |
| 292. | Phenobarbitone |
| 293. | Phenylephrine |
| 294. | Phenytoin |
| 295. | Phytomenadione (Vitamin K1) |
| 296. | Pilocarpine |

-
- | | |
|------|--|
| 297. | Piperacillin + Tazobactam |
| 298. | Platelet rich plasma |
| 299. | Podophyllin resin |
| 300. | Potassium chloride |
| 301. | Potassium permanganate |
| 302. | Povidone iodine |
| 303. | Pralidoxime chloride (2-PAM) |
| 304. | Praziquantel |
| 305. | Prednisolone |
| 306. | Premix Insulin 30:70 Injection (Regular:NPH) |
| 307. | Prilocaine + Lignocaine |
| 308. | Primaquine |
| 309. | Procarbazine |
| 310. | Proparacaine |
| 311. | Propofol |
| 312. | Propranolol |
| 313. | Protamine |
| 314. | Pyrazinamide |
| 315. | Pyridoxine |
| 316. | Quinine |
| 317. | Rabies vaccine |
| 318. | Raltegravir |
| 319. | Ramipril |
| 320. | Ranitidine |
| 321. | Red blood cells |
| 322. | Ribavirin |
| 323. | Riboflavin |
| 324. | Rifabutin |
| 325. | Rifampicin |

-
- | | |
|------|--|
| 326. | Ringer lactate |
| 327. | Risperidone |
| 328. | Ritonavir |
| 329. | Rituximab |
| 330. | Salbutamol |
| 331. | Salicylic acid |
| 332. | Sevoflurane |
| 333. | Silver sulphadiazine
Snake venom antiserum |
| 334. | a) Soluble/ liquid polyvalent
b) Lyophilized polyvalent |
| 335. | Sodium bicarbonate |
| 336. | Sodium chloride |
| 337. | Sodium nitrite |
| 338. | Sodium nitroprusside |
| 339. | Sodium thiosulphate |
| 340. | Sodium valproate |
| 341. | Sofosbuvir |
| 342. | Somatostatin |
| 343. | Spironolactone |
| 344. | Stavudine + Lamivudine |
| 345. | Streptokinase |
| 346. | Streptomycin |
| 347. | Succinylcholine |
| 348. | Sucralfate |
| 349. | Sulfasalazine |
| 350. | Sumatriptan |
| 351. | Surfactant |
| 352. | Tacrolimus |
| 353. | Tamoxifen |

-
- | | |
|------|---|
| 354. | Telmisartan |
| 355. | Temozolomide |
| 356. | Tenofovir |
| 357. | Tenofovir + Lamivudine |
| 358. | Tenofovir + Lamivudine + Efavirenz |
| 359. | Terbinafine |
| 360. | Tetanus toxoid |
| 361. | Thalidomide |
| 362. | Thiamine |
| 363. | Thiopentone |
| 364. | Timolol |
| 365. | Tiotropium |
| 366. | Tramadol |
| 367. | Tranexamic acid |
| 368. | Trastuzumab |
| 369. | Trihexyphenidyl |
| 370. | Tropicamide |
| 371. | Tuberculin, Purified Protein derivative |
| 372. | Vancomycin |
| 373. | Vecuronium |
| 374. | Verapamil |
| 375. | Vinblastine |
| 376. | Vincristine |
| 377. | Vitamin A |
| 378. | Warfarin |
| 379. | Water for Injection |
| 380. | White Petrolatum |
| 381. | Whole blood |
| 382. | Xylometazoline |

383. Zidovudine
 384. Zidovudine + Lamivudine + Nevirapine
 385. Zinc sulphate
 386. Zoledronic acid
 387. Zolpidem

सुधीर त्रिपाठी,
 सरकार के अपर मुख्य सचिव ।

Medicines Added to JLEM 2011	
Ref no	Medicines added
Section 1–Anesthetic agents	
1.3.2	Glycopyrrolate
Section 2– Analgesics, antipyretics, non steroidal anti inflammatory medicines, medicines used to treat gout and disease modifying agents used in rheumatoid disorders	
2.1.4	Mefenamic acid
Section 3–Antiallergics and medicines used in anaphylaxis	
NIL	
Section 4–Antidotes and other substances used in poisonings	
4.2.9	* Neostigmine (Also listed in section 23- Muscle Relaxants and Cholinesterase Inhibitors)
Section 5–Anticonvulsants / Antiepileptics	
5.2	Clobazam

5.4	Levetiracetam
5.10	Diphenylhydantoin
Section 6.1–Anti-helminthics	
Medicines Added to JLEM 2011	
6.1.1.2	Mebendazole
Section 6.2–Anti-bacterial medicines	
6.2.1.5	Benzyl penicillin
6.2.1.6	Cefadroxil
6.2.1.7	Cefazolin
6.2.1.13	Piperacillin + Tazobactam
6.2.2.3	Clarithromycin
Section 6.2.3–Antileprosy medicines	
NIL	
Section 6.2.4–Antituberculosis medicines	
6.2.4.1	Capreomycin
6.2.4.2	Cycloserine
6.2.4.4	Ethionamide
6.2.4.6	Kanamycin
6.2.4.7	Levofloxacin
Medicines Added to JLEM 2011	
6.2.4.8	Linezolid

6.2.4.9	Moxifloxacin
6.2.4.10	Para amino salicylic acid
6.2.4.12	Rifabutin
Section 6.3–Anti-fungal medicines	
6.3.1	Meconazole
6.3.5	Terbinafine
Section 6.4–Antiviral medicines	
6.4.2.1	Ganciclovir
6.4.3.1.1	Abacavir
6.4.3.1.2	Abacavir + Lamivudine
6.4.3.1.6	Tenofovir + Lamivudine
6.4.3.1.7	Tenofovir + Lamivudine + Efavirenz
6.4.3.1.8	Raltegravir
6.4.3.3.1	Atazanavir + Ritonavir
6.4.3.3.2	Lopinavir + Ritonavir
6.4.3.4.2	Darunavir
Medicines Added to JLEM 2011	
6.4.4.1	Entecavir

6.4.4.2	Pegylated interferon alfa 2a and 2b
6.4.4.3	Ribavirin
6.4.4.4	Sofosbuvir
6.4.4.5	Tenofovir
6.4.3.4.5.	Oseltamivir
Section 6.5–Anti-Protozoal medicines	
6.5.1.3	Tinidazole
6.5.1.4	Ornidazole
6.5.2.2	Miltefosine
6.5.2.3	Paromomycin
6.5.3.1.1	Artemether + Lumefantrine
6.5.3.1.2	Artesunate
Section 7–Antimigraine medicines	
Medicines Added to JLEM 2011	
7.1.3	Sumatriptan

7.2.1	Flunarizine
Section 8—Antineoplastic, immunosuppressives and medicines used in palliative care	
8.1.4	All trans retinoic acid
8.1.5	Arsenic Trioxide
8.1.6	Bortezomib
8.1.8	Capecitabine
8.1.16	Docetaxel
8.1.18	Gefitinib
8.1.31	Rituximab
8.1.32	Temozolomide
8.1.31	Thalidomide
8.1.34	Trastuzumab
8.2.1	Bicalutamide
Medicines Added to JLEM 2011	
8.2.2	Letrozole

8.3.3	Mycophenolate mofetil
8.3.4	Tacrolimus
8.4.2	*Amitriptyline (Also listed in Section 27–Psychotherapeutic Medicines)
8.4.3	*Dexamethasone (Also listed in Section: 21–Hormones, other endocrine medicines and contraceptives and Section 3–Antiallergics and medicines used in anaphylaxis)
8.4.4	*Diazepam (Also listed in Section 5–Anticonvulsants/ Antiepileptics)
8.4.6	*Fluoxetine (Also listed in Section 27 – Psychotherapeutic Medicines in 27.2.1– Medicines used in depressive disorder and 27.4–Medicines used for obsessive compulsive disorders and panic attacks)
8.4.7	*Haloperidol (Also listed in Section 27–Psychotherapeutic Medicines)
8.4.8	*Lactulose (Also listed in Section 20–Gastrointestinal medicines)
8.4.9	Loperamide
8.4.10	*Metoclopramide (Also listed in Section 20–Gastrointestinal medicines)
8.4.11	*Midazolam (Also listed in Section 1–Anesthetic agents)
Medicines Added to JLEM 2011	

8.4.14	*Tramadol (Also listed in Section 2– Analgesics, antipyretics, non steroidal anti inflammatory medicines, medicines used to treat gout and disease modifying agents used in rheumatoid disorders)
8.4.15	Zoledronic acid

Section 9–Antiparkinsonism medicines	
NIL	
Section 10–Medicines affecting the blood	
10.1.1	Erythropoietin
10.1.3	Ferrous salt + Folic acid
10.1.5	Mecobalamin
10.1.6	Hydroxyurea
10.1.7	Iron sucrose
10.2.5	Tranexamic acid
Section 11–Blood products and plasma substitutes	
11.1.3	Red blood cells
Medicines Added to JLEM 2011	

11.1.4	Whole blood
Section 12–Cardiovascular medicines	
12.3.5	Labetalol
12.3.7	Ramipril
12.3.9	Telmisartan
12.3.10	Captopril
12.4.4	Noradrenaline
12.4.15	Mephentermine
12.5.2	Alteplase
Section 13–Medicines used in dementia	
13.1	Donepezil
Section 14–Dermatological medicines	
14.1.1	Clotrimazole (Also listed in Section 6- Anti infective medicines)
14.2.2	Fusidic acid
14.4.2	Benzoyl peroxide

Medicines Added to JLEM 2011	
14.2.4	Podophyllin resin
14.6.2	White Petrolatum
Section 15–Diagnostic agents	
15.2.2	Gadobenate
15.2.3	Iohexol
Section 16–Dialysis solution	
16.1	Haemodialysis fluid
Section 17–Disinfectants and antiseptics	
NIL	
Section 18–Diuretics	
NIL	
Section 19–Ear, nose and throat medicines	
19.1	*Budesonide (Also listed in Section 28- Medicines acting on respiratory tract)
19.2	*Ciprofloxacin (Also listed in Section 6- Anti infective medicines and Section 25- Ophthalmological medicines)
19.3	Clotrimazole (Also listed in Section 6- Anti infective medicines)

Medicines Added to JLEM 2011	
19.4	Xylometazoline
Section 20–Gastrointestinal medicines	
20.1.2	Pantprazole
20.1.4	Sucralfate
20.4.3	Drotaverine
20.5.3	Lactulose
20.7.1	Somatostatin
Section 21–Hormones, other endocrine medicines and contraceptives	
21.1.2	Human Chorionic Gonadotropin
21.1.6	Deflazacort
21.3.2	Levonorgestrel
21.4.1.1	Glimepiride
Section 22–Immunologicals	
22.2.5	Hepatitis B immunoglobulin
22.2.6	Human Normal Immunoglobulin

Medicines Added to JLEM 2011	
22.3.1.2	DPT + Hib + Hep B vaccine
22.3.2.1	Japanese encephalitis vaccine
Section 23–Muscle relaxants and cholinesterase inhibitors	
23.2	Baclofen
Section 24 Medicines for neonatal care	
24.1	Alprostadil
24.2	Caffeine
24.3	Surfactant
Section 25–Ophthalmological Medicines	
25.1.1	*Acyclovir (Also listed in Section 6- Anti infective medicines)
25.1.3	Erythromycin
25.1.5	Natamycin
25.3.1	Proparacaine
25.5.4	Tropicamide (Also listed in Section 15- Diagnostic agents)
25.7.1	Carboxymethylcellulose

Medicines Added to JLEM 2011	
Section 26–Oxytocics and Antioxytocics	
26.1.1	Dinoprostone
Section 27–Psychotherapeutics	
27.1.1	Clozapine
27.1.2	Fluphenazine
27.1.4	Risperidone
27.2.1.2	Escitalopram
27.2.1.4	Imipramine
27.2.2.3	Olanzapine
27.3.1	Clonazepam
27.3.2	Zolpidem
27.4.1	Clomipramine
Section 28–Medicines acting on the respiratory tract	
28.1.1	Budesonide
28.1.2	Budesonide + Formoterol

Medicines Added to JLEM 2011	
28.1.6	Tiotropium
Section 29–Solutions correcting water, electrolyte disturbances and acid- base disturbances	
NIL	
Section: 30 –Vitamins and minerals	
30.4	Cholecalciferol
30.5	Mecobalamin

(सुधीर त्रिपाठी)

सरकार के अपर मुख्य सचिव

Alphabetical List of Medicines Added to JLEM 2011

1. Abacavir
2. Abacavir + Lamivudine
3. All trans retinoic acid
4. Alprostadil
5. Alteplase
6. Arsenic Trioxide
7. Artemether + Lumefantrine
8. Artesunate
9. Atazanavir + Ritonavir
10. Baclofen
11. Benzoyl peroxide
12. Benzyl penicillin 1.Replaces Benzathine Penicillin of NLEM 2011
13. Bicalutamide
14. Bortezomib
15. Budesonide
16. Budesonide + Formoterol
17. Caffeine
18. Capecitabine
19. Captopril ----- 1.Added by committee
20. Capreomycin
21. Carboxymethylcellulose
22. Cefadroxil
23. Cefazolin
24. Cholecalciferol
25. Clarithromycin
26. Clobazam
27. Clomipramine
28. Clonazepam
29. Clozapine
30. Cycloserine
31. Darunavir
32. Deflazacort -----2.Added by committee
33. Diphenylhydantoin
34. Dinoprostone
35. Docetaxel
36. Donepezil
37. DPT + Hib + Hep B vaccine
38. Drotaverine -----3.Added by committee
39. Entecavir
40. Erythropoietin
41. Escitalopram
42. Ethionamide
43. Ferrous salt + Folic acid 2.Replaces ferrous salt of NLEM 2011
44. Flunarizine
45. Fluphenazine
46. Fusidic acid

47. Gadobenate
48. Ganciclovir
49. Gefitinib
50. Glimepiride
51. Glycopyrrolate
52. Haemodialysis fluid
53. Hepatitis B immunoglobulin
54. Human Chorionic Gonadotropin
55. Human Normal Immunoglobulin
56. Hydroxyurea
57. Iohexol
58. Imipramine -----4.Added by committee
59. Iron sucrose
60. Japanese encephalitis vaccine
61. Kanamycin
62. Labetalol
63. Lactulose
64. Letrozole
65. Levetiracetam
66. Levofloxacin
67. Levonorgestrel
68. Linezolid
69. Loperamide
70. Lopinavir + Ritonavir
71. Mebendazole
72. Mecobalamin -----5.Added by committee
73. Mefenamic acid
74. Mephentermine -----6.Added by committee
75. Miltefosine
76. Moxifloxacin
77. Mycophenolate mofetil
78. Natamycin
79. Noradrenaline
80. Ornidazole -----7.Added by committee
81. Olanzapine-----8.Added by committee
82. Oseltamivir -----9.Added by committee
83. Para amino salicylic acid
84. Paromomycin
85. Pegylated interferon alfa 2a and 2b
86. Piperacillin + Tazobactam
87. Podophyllin resin
88. Proparacaine
89. Raltegravir
90. Ramipril
91. Red blood cells
92. Ribavirin
93. Rifabutin
94. Risperidone

-
- | | |
|------|--|
| 95. | Rituximab |
| 96. | Sofosbuvir |
| 97. | Somatostatin |
| 98. | Sucralfate |
| 99. | Sumatriptan |
| 100. | Surfactant |
| 101. | Tacrolimus |
| 102. | Telmisartan |
| 103. | Temozolomide |
| 104. | Tenofovir |
| 105. | Tenofovir + Lamivudine |
| 106. | Tenofovir + Lamivudine + Efavirenz |
| 107. | Terbinafine -----10.Added by committee |
| 108. | Thalidomide |
| 109. | Tinidazole -----11.-Added by committee |
| 110. | Tiotropium |
| 111. | Tranexamic acid |
| 112. | Trastuzumab |
| 113. | White Petrolatum |
| 114. | Whole blood |
| 115. | Xylometazoline |
| 116. | Zoledronic acid |
| 117. | Zolpidem |

सुधीर त्रिपाठी,
सरकार के अपर मुख्य सचिव ।

Medicines Deleted from JLEM 2011	
S.No.	Medicines deleted
Section 1–Anesthetic agents	
1	Ether
2	Diazepam
3	Promethazine
Section 2– Analgesics, antipyretics, non steroidal anti inflammatory medicines, medicines used to treat gout and disease modifying agents used in rheumatoid disorders	
NIL	
Section 3–Antiallergics and medicines used in anaphylaxis	
1	Dexchlorpheniramine
2	Promethazine
Section 4–Antidotes and other substances used in poisonings	
4.1	Flumazenil
Section 5–Anticonvulsants / Antiepileptics	
Section 6.1–Anti-helminthics	
1	Piperazine
Medicines Deleted from JLEM 2011	
Section 6.2–Anti-bacterial medicines	
1	Cephalexin
2	Amikacin
3	Sulfadiazine

4	Erythromycin
Section 6.2.3–Antileprosy medicines	
NIL	
Section 6.2.4–Antituberculosis medicines	
1	Ofloxacin
Section 6.3–Anti-fungal medicines	
6.3.1	Amphotericin B
Section 6.4–Antiviral medicines	
1	Didanosine
2	Lamivudine
3	Stavudine
Medicines Deleted from JLEM 2011	
4	Indinavir
5	Nelfinavir
6	Saquinavir
Section 6.5–Anti-Protozoal medicines	
1	Pentamidine
2	Sodium Stibogluconate
3	Pyrimethamine
4	Sulfadoxine + Pyrimethamine
5.	Amphotericin B
1	Dihydroergotamine

Section 7–Antimigraine medicines	
1	Alpha interferon
2	Busulfan
3	Mitomycin-C
4	Danazol
Medicines Deleted from JLEM 2011	
5	Flutamide
6	Raloxifene
Section 9–Antiparkinsonism medicines	
1	Bromocriptine Mesylate
Section 10–Medicines affecting the blood	
1	Cyanocobalamin
2	Iron dextran
3	Pyridoxine
4.	Hydroxocobalamin
Section 11–Blood products and plasma substitutes	
1	Dextran 70
2	Hydroxyethyl starch (Hetastarch)
3	Polygeline
4	Albumin
Section 12–Cardiovascular medicines	
1	Diltiazem
Medicines Deleted from JLEM 2011	

2	Procainamide
3	Losartan potassium
4	Nifedipine
5	Urokinase
Section 13–Medicines used in dementia	
NIL	
Section 14–Dermatological medicines	
1	Miconazole
2	Acyclovir
3	Neomycin + Bacitracin
4	Zinc Oxide
5	Dithranol
6	Benzyl benzoate
Section 15–Diagnostic agents	
1	Calcium Ipodate
Medicines Deleted from JLEM 2011	
2	Iopanoic Acid
3	Meglumine Iothalamate
4	Meglumine Iotroxate
5	Propylidone
6	Sodium Iothalamate
Section 23–Dialysis solution	

NIL	
Section 17–Disinfectants and antiseptics	
1	Acriflavin + Glycerin
2	Benzoin compound
3	Formaldehyde
Section 18–Diuretics	
NIL	
Section 19–Ear, nose and throat medicines	
NIL	
Medicines Deleted from JLEM 2011	
Section 20–Gastrointestinal medicines	
1	Promethazine
2	Aluminium Hydroxide + Magnesium Hydroxide
3	Famotidine
Section 21–Hormones, other endocrine medicines and contraceptives	
1	Testosterone
2	Glibenclamide
3	Glucagon
4	Iodine
Section 22–Immunologicals	
NIL	
Section 23–Muscle relaxants and cholinesterase inhibitors	
1	Pyridostigmine
Section 24 Medicines for neonatal care	

NIL	
Medicines Deleted from JLEM 2011	
Section 25–Ophthalmological Medicines	
1	Chloramphenicol
2	Miconazole
3	Sulphacetamide sodium
4	Tetracaine hydrochloride
5	Betaxolol hydrochloride
Section 26–Oxytotics and antioxytotics	
1	Terbutaline
Section 27–Psychotherapeutics	
1	Chlorpromazine
2	Olanzapine
3	Imipramine
4	Alprazolam
5	Diazepam
Section 28–Medicines acting on the respiratory tract	
1	Beclomethasone Dipropionate
Medicines Deleted from JLEM 2011	
2	Codeine Phosphate
3	Dextromethorphan
Section 29–Solutions correcting water, electrolyte disturbances and acid- base disturbances	
NIL	
Section 30–Vitamins and minerals	
1	Multivitamins

2	Vitamin D (Ergocalciferol)
Section 29—Solutions correcting water, electrolyte disturbances and acid- base disturbances	
NIL	
Section 30—Vitamins and minerals	
1	Multivitamins
2	Vitamin D (Ergocalciferol)

सुधीर त्रिपाठी,
सरकार के अपर मुख्य सचिव।

Alphabetical List of Medicines Deleted from JLEM 2011

1. Acriflavin + Glycerin
2. Albumin
3. Alpha interferon
4. Alprazolam
5. Aluminium Hydroxide + Magnesium Hydroxide
6. Amikacin
7. Amphotericin B
8. Beclomethasone Dipropionate
9. Benzoin compound
10. Benzyl benzoate
11. Betaxolol hydrochloride
12. Bromocriptine Mesylate
13. Busulfan
14. Calcium Iodate
15. Cephalexin
16. Chloramphenicol
17. Chlorpromazine
18. Codeine Phosphate
19. Cyanocobalamin
20. Danazol
21. Dexchlorpheniramine
22. Dextran 70
23. Dextromethorphan
24. Didanosine
25. Dihydroergotamine
26. Dithranol
27. Ether
28. Famotidine
29. Flumazenil
30. Flutamide
31. Formaldehyde
32. Glibenclamide
33. Glucagon
34. Hydroxyethyl starch (Hetastarch)
35. Hydroxocobalamin
36. Imipramine
37. Indinavir
38. Iodine
39. Iopanoic Acid
40. Iron dextran
41. Lamivudine
42. Losartan potassium
43. Meglumine Iothalamate
44. Meglumine Iotroxate
45. Miconazole
46. Mitomycin-C

47. Multivitamins
48. Nelfinavir
49. Neomycin + Bacitracin
50. Ofloxacin
51. Olanzapine
52. Piperazine
53. Polygeline
54. Procainamide
55. Promethazine
56. Propylidone
57. Pyridostigmine
58. Pyrimethamine
59. Raloxifene
60. Saquinavir
61. Sodium Iothalamate
62. Sodium Stibogluconate
63. Stavudine
64. Sulfadiazine
65. Sulfadoxine + Pyrimethamine
66. Sulphacetamide sodium
67. Terbutaline
68. Testosterone
69. Tetracaine hydrochloride
70. Urokinase
71. Vitamin D (Ergocalciferol)
72. Zinc Oxide

झारखण्ड राज्य के राज्यपाल के आदेश से,

सुधीर त्रिपाठी,

सरकार के अपर मुख्य सचिव ।
